CONTENTS - VOLUME XXI, 2001

No. 1

Short-term treatment of primary fibromyalgia with the 5-HT_3 -receptor antagonist tropisetron. Results of a randomized, double-blind, placebo-controlled multicenter trial in 418 patients
FÄRBER L., STRATZ T.H., BRÜCKLE W., SPÄTH M., PONGRATZ D., LAUTENSCHLÄGER J., KÖTTER I., ZÖLLER B., PETER H.-H., NEECK G., WELZEL D., MÜLLER W., FOR THE GERMAN FIBROMYALGIA STUDY GROUP 1

Analgesic effects of flecainide on postherpetic neuralgia
ICHIMATA M., IKEBE H., YOSHITAKE S., HATTORI S., IWASAKA H., NOGUCHI T. 15

Antispasmodic/analgesic associations in primary dysmenorrhea double-blind crossover placebo-controlled clinical trial
DE LOS SANTOS A.R., ZMIJANOVICH R., PÉREZ MACRI S., MARTÍ M.L., DI GIROLAMO G. 21

Efficacy and tolerability of policosanol in hypercholesterolemic postmenopausal women
MIRKIN A., MAS R., MARTINTO M., BOCCANERA R., ROBERTIS A., POUDES R., FUSTER A., LASTRETO E., YAÑEZ M., IRICO G., McCOOK B., FARRÉ A. 31

Effects of policosanol 20 versus 40 mg/day in the treatment of patients with type II hypercholesterolemia: A 6-month double-blind study
CASTAÑO G., MAS R., FERNÁNDEZ L., ILLNAIT J.,GÁMEZ R., ALVAREZ E. 43

Lack of antagonism between nicorandil and sulfonylurea in stable angina pectoris
HATA N., TAKANO M., KUNIMI T., KISHIDA H., TAKANO T. 59

No. 2

Effects of nifedipine retard on heart rate and autonomic balance in patients with ischemic heart disease
SATO H., ARAI H., FUKUDA E., TSUTSUMI Y., YAMAMOTO M., AIZAWA T., LONG-TAI FU L. 65

Angiotensin-converting enzyme activity and angiomodulatory effects of sera in patients with diabetic retinopathy
SKOPIŃSKI P., SOMMER E., BOROWSKA A., HEVELKE A., ROGALA E., SKOPIŃSKI-RÓŻEWSKA E. 73

Reactive oxygen metabolites and prooxidant status in children with Down's syndrome
CARRATELLI M., PORCARO L., RUSCICA M., DE SIMONE E., BERTELLI A.A.E., CORSI M.M. 79

Influence of age on the pharmacokinetics of vapiprost, a thromboxane A_2 receptor antagonist, and platelet aggregation: Comparison of pharmacokinetics by routine approach and population pharmacokinetics
OHASHI K., ASO R. 85

Population pharmacokinetic analysis of ephedrine in Kampo prescriptions: A study in healthy volunteers and clinical use of the pharmacokinetic results
YAFUNE A., CYONG J.C. 95

No. 3/4

Intravenous nedaplatin and intraarterial cisplatin with transcatheter arterial embolization for patients with locally advanced uterine cervical cancer
ADACHI S., OGASAWARA T., TSUBAMOTO H., OKU H., HORI Y., TSUJI Y., TAKEMURA T., KOYAMA K. 105

Five-day infusion of fluorouracil and vinorelbine for advanced breast cancer patients treated previously with anthracyclines
PIEŃKOWSKI T., JAGIEŁŁO-GRUSZFELD A. 111

Nonsteroidal antiinflammatory drug-induced mucosal lesions of the upper gastrointestinal tract and their relationship to *Helicobacter pylori*
RYBÁR I., MASARYK P., MATEICKA F., KOPECKÝ Š., ROVENSKÝ J. 119

Irritable bowel syndrome: attrition rates of patients identified at primary care centers during a 50-week period *versus* those identified in hospitals in a phase II clinical trial
DAL-RÉ R., LUQUE A., GUARDIOLA L., RODRÍGUEZ F. 127

Population pharmacokinetics, protein binding and antiarrhythmic effects of disopyramide enantiomers in arrhythmic patients
ASO R., OHASHI K., KATOH T., OGATA H. 137

Different mechanisms of fibrinolysis impairment among dyslipidemic subjects
PUCCETTI L., PASQUI A.L., PASTORELLI M., BOVA G., CERCIGNANI M., PALAZZUOLI A., AUTERI A., BRUNI F. 147

Contents Index Volume XXI 157

Author Index Volume XXI 159